

The MULTICRACKER MC600 is the biggest in the range and is capable of grinding up to 80 t/hr.

This is commercial grade with its high output and well suited to stock feed, food and commercial processing.

MC 600  
80tn/hr



BEFORE



AFTER



## ADVANTAGES

- Dust & waterproof grinding unit
- PLC capable intergration
- Homogenous ground product



## CONFIGURATION

- Motorised, stepless adjustment of grinding gap
- Enclosed grinding unit
- Crackerdiscs resharpenable
- Bearing temperature sensors
- Adjustable, vibration damping machine shoes
- Three disc profiles to choose from



## SPECIFICATIONS

- Throughput: Up to 80 tons/hr
- Input Chute: 600 x 500mm
- Output Chute: 600 x 500mm
- Dimensions 2000 x 1300 x 1076mm (L x W x H)
- Driving Power: 2 x 15kw or 2 x 30kw Motor
- Weight: 4600kg



## OPTIONS

- Inlet/ outlet chute sizes to meet your requirements
- Automatic bearing lubrication
- Twin version for 2 stage grinding, precrushing and final grinding
- Destoner (incl permanet magnet and feed roll)
- Versatile Sensor systems
- Machine bed made of ultra high performance concrete



## APPLICATION

Some products - Corn, Soybeans, Poultry Feed, Wet Corn, Mesh Feed and much more.

MULTICRACKER uses revolutionary technology for effectively crushing bulk goods by a method of grinding with special Multicracker discs. It combines innovation and efficiency in one machine and can reduce power consumption. On average it takes just 1 kW of energy per tonne of material.